

VOLUME 34, PART II

SUBJECT INDEX

A

Absorption.

- Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.
Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Aggregates.

- A Laboratory Service Test for Pavement Materials. A. T. Goldbeck, J. E. Gray and L. L. Ludlow, Jr., 608. Discussion, 627.
Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.

Aging.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
The Testing of Raw Materials for Rubber Compounds. B. S. Taylor, 647.
Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.

Alloys.

- Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.
The Impact Strength of Commercial Zinc Alloy Die Castings. E. A. Anderson and G. L. Werley, 176.
Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.
Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 1.

Alloy Steel.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.

Aluminum.

- Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.
Some Factors Affecting Strain Measurements in Tests of Metals. R. L. Templin, 182. Discussion, 195.

Apparatus.

- See Testing Apparatus.

Asphalt.

- Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.
Indentation of Asphalt Tile. J. W. McBurney, 591. Discussion, 604.

VOLUME 34, PART II

SUBJECT INDEX

A

Absorption.

- Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.
Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Aggregates.

- A Laboratory Service Test for Pavement Materials. A. T. Goldbeck, J. E. Gray and L. L. Ludlow, Jr., 608. Discussion, 627.
Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.

Aging.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
The Testing of Raw Materials for Rubber Compounds. B. S. Taylor, 647.
Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.

Alloys.

- Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.
The Impact Strength of Commercial Zinc Alloy Die Castings. E. A. Anderson and G. L. Werley, 176.
Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.
Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 1.

Alloy Steel.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.

Aluminum.

- Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.
Some Factors Affecting Strain Measurements in Tests of Metals. R. L. Templin, 182. Discussion, 195.

Apparatus.

- See Testing Apparatus.

Asphalt.

- Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.
Indentation of Asphalt Tile. J. W. McBurney, 591. Discussion, 604.

B**Bituminous Materials.**

Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.

A Laboratory Service Test for Pavement Materials. A. T. Goldbeck, J. E. Gray and L. L. Ludlow, Jr., 608. Discussion, 627.

Blue Brittleness.

Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.

Boiler Water.

Water as an Engineering and Industrial Material. Edgar Marburg Lecture. Sheppard T. Powell, 3.

Bond.

Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Resultant Separation Cracking Between Various Mortars and Brick in Existing Brick Structures. C. C. Connor, 454. Discussion, 471.

Brass.

A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on Endurance Limit. G. N. Krouse, 156. Discussion, 161.

Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.

Brick.

The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture. W. C. Rueckel and R. B. Keplinger, 480. Discussion, 489.

Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Resultant Separation Cracking Between Various Mortars and Brick in Existing Brick Structures. C. C. Connor, 454. Discussion, 471.

Tests on Reinforced Brick Masonry Columns. M. O. Withey, 387. Discussion, 404.

Brinell Hardness.

See Hardness Testing.

C**Calibration.**

Characteristics of the Huggeberger Tensometer. R. W. Vose, 862. Discussion, 874.

Calorimeter.

The Vane Calorimeter. R. W. Carlson, 322.

Castings.

The Impact Strength of Commercial Zinc Alloy Die Castings. E. A. Anderson and G. L. Werley, 176.

Cast Iron.

A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on Endurance Limit. G. N. Krouse, 156. Discussion, 161.

Caustic Embrittlement.

See Embrittlement.

Celite.

Materials for Use in Structural Engineering Models, with Special Reference to Rubber Compounds. A. V. Karpov, 663. Discussion, 680.

Cement.

- Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.
- Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete. H. F. Gonnerman, 244. Discussion, 296.
- A Suspension Turbidimeter for Determination of Specific Surface of Granular Materials. Alexander Klein, 303. Discussion, 315.
- The Vane Calorimeter. R. W. Carlson, 322.

Ceramics.

- The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture. W. C. Rueckel and R. B. Keplinger, 480. Discussion, 489.

Chromium Steel.

See Alloy Steel.

Clay.

- The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture. W. C. Rueckel and R. B. Keplinger, 480. Discussion, 489.
- The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.
- Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693. Discussion, 726.

Colloids.

- The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.
- Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693. Discussion, 726.

Combustibility.

- Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Compression Testing.

- Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.
- Proposed Method of Making Compression Tests on Portions of Concrete Beams from Flexure Tests. L. H. Koenitzer, 406. Discussion, 414.
- Some Factors Affecting Strain Measurements in Tests of Metals. R. L. Templin, 182. Discussion, 195.
- Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete. H. F. Gonnerman, 244. Discussion, 296.
- Tests on Reinforced Brick Masonry Columns. M. O. Withey, 387. Discussion, 404.
- The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847. Discussion, 861.

Concrete.

- Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.
- Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.
- Proposed Method of Making Compression Tests on Portions of Concrete Beams from Flexure Tests. L. H. Koenitzer, 406. Discussion, 414.

Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete. H. F. Gonnerman, 244. Discussion, 296.

Corrosion.

The Determination of Traces of Dissolved Oxygen by the Winkler Method. M. C. Schwartz and W. B. Gurney, 796. Discussion, 813.

Observations on Effect of Surface Finish on the Initial Corrosion of Steel Under Water. L. J. Waldron and E. C. Groesbeck, 123. Discussion, 132.

Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 1.

The Use of Bureau of Standards Soil Corrosion Data in the Design and Protection of Pipe Lines. K. H. Logan, 138. Discussion, 153.

Creep Tests.

Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.

Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.

The Interpretation of Creep Tests. P. G. McVetty, 105. Discussion, 117.

Crib Test.

Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Curing.

Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.

Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.

D

Dams.

The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.

Materials for Use in Structural Engineering Models, with Special Reference to Rubber Compounds. A. V. Karpov, 663. Discussion, 680.

Data, Analysis of.

See Statistical Analysis.

De-Airing.

The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture. W. C. Rueckel and R. B. Keplinger, 480. Discussion, 489.

Die Castings.

The Impact Strength of Commercial Zinc Alloy Die Castings. E. A. Anderson and G. L. Werley, 176.

Dielectric Constant.

A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles. W. B. Kouwenhoven and L. W. Marks, 821. Discussion, 840.

E

Elasticity.

See Tension Testing.

Electrical Testing.

A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles. W. B. Kouwenhoven and L. W. Marks, 821. Discussion, 840.

Elutriation.

The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.

Embrittlement.

Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.

Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.

Water as an Engineering and Industrial Material. Edgar Marburg Lecture. Sheppard T. Powell, 3.

Endurance Testing.

See Fatigue.

Engineering Models.

Materials for Use in Structural Engineering Models, with Special Reference to Rubber Compounds. A. V. Karpov, 663. Discussion, 680.

Exposure Tests.

See Corrosion; Weathering.

Extensometers.

The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847. Discussion, 861.

F**Fatigue.**

A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on Endurance Limit. G. N. Krouse, 156. Discussion, 161.

Fineness.

See Particle Size.

Fire Resistance.

Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Fire Tests.

Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Flexure Testing.

Proposed Method of Making Compression Tests on Portions of Concrete Beams from Flexure Tests. L. H. Koenitzer, 406. Discussion, 414.

Flow.

Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.

Freezing-and-Thawing Tests.

Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.

Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete. H. F. Gonnerman, 244. Discussion, 296.

Frictional Resistance.

Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.

G

Gasoline.

- Motor Fuels and Vapor Lock. George Granger Brown, 550. Discussion, 560.
- Motors and Fuel Vapor Pressure. T. A. Boyd, 540. Discussion, 560.

H

Hardness Testing.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
- Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.
- Effect of Thickness on the Accuracy of Rockwell Hardness Tests on Thin Sheets. R. L. Kenyon, 229. Discussion, 239.

Heat of Hydration.

- The Vane Calorimeter. R. W. Carlson, 322.

High Temperature Testing.

- See Temperature, Effect of.

I

Immersion Tests.

- Observations on Effect of Surface Finish on the Initial Corrosion of Steel Under Water. L. J. Waldron and E. C. Groesbeck, 123. Discussion, 132.

Impact Testing.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
- Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.
- The Impact Strength of Commercial Zinc Alloy Die Castings. E. A. Anderson and G. L. Werley, 176.

Indentation Test.

- Indentation of Asphalt Tile. J. W. McBurney, 591. Discussion, 604.

Instruments.

- See Testing Apparatus.

Insulating Materials.

- A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles. W. B. Kouwenhoven and L. W. Marks, 821. Discussion, 840.

Interpretation of Data.

- The Interpretation of Creep Tests. P. G. McVetty, 105. Discussion, 117.

Iron.

- Observations on Effect of Surface Finish on the Initial Corrosion of Steel Under Water. L. J. Waldron and E. C. Groesbeck, 123. Discussion, 132.
- Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 1.
- The Use of Bureau of Standards Soil Corrosion Data in the Design and Protection of Pipe Lines. K. H. Logan, 138. Discussion, 153.

J

Jointing Compounds.

- Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.

M**Masonry.**

Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Resultant Separation Cracking Between Various Mortars and Brick in Existing Brick Structures. C. C. Connor, 454. Discussion, 471.

Tests on Reinforced Brick Masonry Columns. M. O. Withey, 387. Discussion, 404.

Mass Tone.

A Discussion of the Accuracy and Utility of Methods of Test for Mass Tone and Tinting Strength of Dry Colors. J. W. Ayers, 497. Discussion, 509.

Metallic Coatings.

See Corrosion.

Metallurgy.

Application of Statistical Methods to the Solution of Metallurgical Problems in the Steel Plant. W. C. Chancellor, 891. Discussion, 910.

Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.

Models.

Materials for Use in Structural Engineering Models, with Special Reference to Rubber Compounds. A. V. Karpov, 663. Discussion, 680.

Modulus of Elasticity.

See Tension Testing.

Moisture Content.

Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693. Discussion, 726.

Molybdenum Steel.

See Alloy Steel.

Mortar.

Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.

Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Resultant Separation Cracking Between Various Mortars and Brick in Existing Brick Structures. C. C. Connor, 454. Discussion, 471.

Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete. H. F. Gonnerman, 244. Discussion, 296.

N**Notches, Effect of.**

Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.

O**Oil Resistance.**

The Testing of Rubber and Rubber-Like Materials for Oil Resistance. O. M. Hayden, 635. Discussion, 644.

Oxygen Determination.

The Determination of Traces of Dissolved Oxygen by the Winkler Method. M. C. Schwartz and W. B. Gurney, 796. Discussion, 813.

P

Paint.

Method and Apparatus for Determining the Interval Required to Disperse Oil Colors Throughout a Paint Medium. M. Rea Paul and George Diehlman, 490. Discussion, 496.

Particle Size.

The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.

A Suspension Turbidimeter for Determination of Specific Surface of Granular Materials. Alexander Klein, 303. Discussion, 315.

Paving Materials.

A Laboratory Service Test for Pavement Materials. A. T. Goldbeck, J. E. Gray and L. L. Ludlow, Jr., 608. Discussion, 627.

Permeability.

Permeability Tests of 8-in. Brick Wallettes. L. A. Palmer and D. A. Parsons, 419. Discussion, 432.

Petroleum Products.

Motor Fuels and Vapor Lock. George Granger Brown, 550. Discussion, 560.

Motors and Fuel Vapor Pressure. T. A. Boyd, 540. Discussion, 560.

Photoelastic Testing.

Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.

Pigments.

A Discussion of the Accuracy and Utility of Methods of Test for Mass Tone and Tinting Strength of Dry Colors. J. W. Ayers, 497. Discussion, 509.

Method and Apparatus for Determining the Interval Required to Disperse Oil Colors Throughout a Paint Medium. M. Rea Paul and George Diehlman, 490. Discussion, 496.

The Testing of Raw Materials for Rubber Compounds. B. S. Taylor, 647.

Tinting Strength of White Pigments. R. H. Sawyer, 515. Discussion, 531.

Tinting Strength of White Pigments. G. F. A. Stutz, 521. Discussion, 531.

Pipe.

Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.

The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture. W. C. Rueckel and R. B. Keplinger, 480. Discussion, 489.

The Use of Bureau of Standards Soil Corrosion Data in the Design and Protection of Pipe Lines. K. H. Logan, 138. Discussion, 153.

Plasticity.

Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.

Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.

Portland Cement.

See Cement.

Power Factor.

A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles. W. B. Kouwenhoven and L. W. Marks, 821. Discussion, 840.

Presentation of Data.

See Statistical Analysis.

Protective Coatings.

See Corrosion; Paint.

R**Reinforced Brick Masonry.**

Tests on Reinforced Brick Masonry Columns. M. O. Withey, 387. Discussion, 404.

Road Materials.

See Paving Materials.

Rockwell Hardness.

See Hardness Testing.

Rubber.

Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.

Materials for Use in Structural Engineering Models, with Special Reference to Rubber Compounds. A. V. Karpov, 663. Discussion, 680.

The Testing of Raw Materials for Rubber Compounds. B. S. Taylor, 647.

The Testing of Rubber and Rubber-Like Materials for Oil Resistance. O. M. Hayden, 635. Discussion, 644.

S**Sand.**

Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693. Discussion, 726.

Seizing.

Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.

Sewer Pipe.

Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.

Shaving Test.

Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Sheets.

Effect of Thickness on the Accuracy of Rockwell Hardness Tests on Thin Sheets. R. L. Kenyon, 229. Discussion, 239.

Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.

Shrink Fits.

Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.

Silt.

Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693. Discussion, 726.

Slip.

Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.

Soil Corrosion.

The Use of Bureau of Standards Soil Corrosion Data in the Design and Protection of Pipe Lines. K. H. Logan, 138. Discussion, 153.

Soils.

- Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693.
Discussion, 726.

Specifications.

- Acceptance-Rejection Requirements in Specifications. H. F. Dodge, 877.
Discussion, 910.
Application of Statistical Methods to the Solution of Metallurgical Problems
in the Steel Plant. W. C. Chancellor, 891. Discussion, 910.

Spectrographic Analysis.

- Water as an Engineering and Industrial Material. Edgar Marburg Lecture.
Sheppard T. Powell, 3.

Statistical Analysis.

- Acceptance-Rejection Requirements in Specifications. H. F. Dodge, 877.
Discussion, 910.
Application of Statistical Methods to the Solution of Metallurgical Problems
in the Steel Plant. W. C. Chancellor, 891. Discussion, 910.

Steel.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and
E. S. Dixon, 59. Discussion, 79.
Application of Statistical Methods to the Solution of Metallurgical Problems
in the Steel Plant. W. C. Chancellor, 891. Discussion, 910.
Concerning the Effect of Notches and Laws of Similitude in Material Testing.
A. Nadai and C. W. MacGregor, 216.
Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel
Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.
Effect of Size and Shape of Test Specimen upon the Observed Physical Proper-
ties of Structural Steel. Inge Lyse and C. C. Keyser, 202. Discussion, 211.
Effect of Thickness on the Accuracy of Rockwell Hardness Tests on Thin
Sheets. R. L. Kenyon, 229. Discussion, 239.
A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on
Endurance Limit. G. N. Krouse, 156. Discussion, 161.
The Interpretation of Creep Tests. P. G. McVetty, 105. Discussion, 117.
Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger,
165. Discussion, 172.
Observations on Effect of Surface Finish on the Initial Corrosion of Steel Under
Water. L. J. Waldron and E. C. Groesbeck, 123. Discussion, 132.
Summary of Proceedings of the Washington Regional Meeting—Symposium on
the Outdoor Weathering of Metals and Metallic Coatings, 1.
The Use of Bureau of Standards Soil Corrosion Data in the Design and Pro-
tection of Pipe Lines. K. H. Logan, 138. Discussion, 153.

Strain Measurements.

- See Testing, Methods of.

Sulfate Water, Effect of.

- Study of Cement Composition in Relation to Strength, Length Changes, Resist-
ance to Sulfate Waters and to Freezing and Thawing, of Mortars and Con-
crete. H. F. Gonnerman, 244. Discussion, 296.

Surface Determination.

- A Suspension Turbidimeter for Determination of Specific Surface of Granular
Materials. Alexander Klein, 303. Discussion, 315.

T

Temperature, Effect of.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
- Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.
- The Interpretation of Creep Tests. P. G. McVetty, 105. Discussion, 117.
- Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.

Tension Testing.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
- Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.
- Effect of Size and Shape of Test Specimen upon the Observed Physical Properties of Structural Steel. Inge Lyse and C. C. Keyser, 202. Discussion, 211.
- Some Factors Affecting Strain Measurements in Tests of Metals. R. L. Templin, 182. Discussion, 195.
- Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete. H. F. Gonnerman, 244. Discussion, 296.
- The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847. Discussion, 861.

Tensometer.

- Characteristics of the Huggenberger Tensometer. R. W. Vose, 862. Discussion, 874.

Testing Apparatus.

- Characteristics of the Huggenberger Tensometer. R. W. Vose, 862. Discussion, 874.
- A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles. W. B. Kouwenhoven and L. W. Marks, 821. Discussion, 840.
- A Discussion of the Accuracy and Utility of Methods of Test for Mass Tone and Tinting Strength of Dry Colors. J. W. Ayers, 497. Discussion, 509.
- Discussion on Subgrade Soil Testing Methods, 726.
- A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on Endurance Limit. G. N. Krouse, 156. Discussion, 161.
- The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.
- Indentation of Asphalt Tile. J. W. McBurney, 591. Discussion, 604.
- A Laboratory Service Test for Pavement Materials. A. T. Goldbeck, J. E. Gray and L. L. Ludlow, Jr., 608. Discussion, 627.
- Method and Apparatus for Determining the Interval Required to Disperse Oil Colors Throughout a Paint Medium. M. Rea Paul and George Diehlman, 490. Discussion, 496.
- A Suspension Turbidimeter for Determination of Specific Surface of Granular Materials. Alexander Klein, 303. Discussion, 315.
- Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging. R. L. Kenyon and R. S. Burns, 48.
- The Vane Calorimeter. R. W. Carlson, 322.

- The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847.
Discussion, 861.

Testing, Methods of.

- A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles. W. B. Kouwenhoven and L. W. Marks, 821. Discussion, 840.
- A Discussion of the Accuracy and Utility of Methods of Test for Mass Tone and Tinting Strength of Dry Colors. J. W. Ayers, 497. Discussion, 509.
- A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on Endurance Limit. G. N. Krouse, 156. Discussion, 161.
- The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials. H. H. Hatch, 739. Discussion, 748.
- Indentation of Asphalt Tile. J. W. McBurney, 591. Discussion, 604.
- A Laboratory Service Test for Pavement Materials. A. T. Goldbeck, J. E. Gray and L. L. Ludlow, Jr., 608. Discussion, 627.
- Method and Apparatus for Determining the Interval Required to Disperse Oil Colors Throughout a Paint Medium. M. Rea Paul and George Diehlman, 490. Discussion, 496.
- Proposed Method of Making Compression Tests on Portions of Concrete Beams from Flexure Tests. L. H. Koenitzer, 406. Discussion, 414.
- Some Factors Affecting Strain Measurements in Tests of Metals. R. L. Templin, 182. Discussion, 195.
- Subgrade Soil Testing Methods. C. A. Hogentogler and E. A. Willis, 693. Discussion, 726.
- A Suspension Turbidimeter for Determination of Specific Surface of Granular Materials. Alexander Klein, 303. Discussion, 315.
- Tinting Strength of White Pigments. R. H. Sawyer, 515. Discussion, 531.
- Tinting Strength of White Pigments. G. F. A. Stutz, 521. Discussion, 531.
- The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847. Discussion, 861.

Test Specimen.

- Concerning the Effect of Notches and Laws of Similitude in Material Testing. A. Nadai and C. W. MacGregor, 216.
- Effect of Size and Shape of Test Specimen upon the Observed Physical Properties of Structural Steel. Inge Lyse and C. C. Keyser, 202. Discussion, 211.
- Effect of Thickness on the Accuracy of Rockwell Hardness Tests on Thin Sheets. R. L. Kenyon, 229. Discussion, 239.
- Note on Frictional Resistance of Steel and Brass in Shrink Fits. W. H. Swanger, 165. Discussion, 172.
- Proposed Method of Making Compression Tests on Portions of Concrete Beams from Flexure Tests. L. H. Koenitzer, 406. Discussion, 414.

Tile.

- The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture. W. C. Rueckel and R. B. Keplinger, 480. Discussion, 489.
- Indentation of Asphalt Tile. J. W. McBurney, 591. Discussion, 604.

Timber.

- Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Tinting Strength.

- A Discussion of the Accuracy and Utility of Methods of Test for Mass Tone and Tinting Strength of Dry Colors. J. W. Ayers, 497. Discussion, 509.
Tinting Strength of White Pigments. R. H. Sawyer, 515. Discussion, 531.
Tinting Strength of White Pigments. G. F. A. Stutz, 521. Discussion, 531.

Tubes.

- Aging Embrittlement of 4 to 6 per cent Chromium Steel. H. M. Wilten and E. S. Dixon, 59. Discussion, 79.
Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes. H. C. Cross and E. R. Johnson, 80. Discussion, 101.

Turbidimeter.

- A Suspension Turbidimeter for Determination of Specific Surface of Granular Materials. Alexander Klein, 303. Discussion, 315.

V**Vapor Lock.**

- Motor Fuels and Vapor Lock. George Granger Brown, 550. Discussion, 560.
Motors and Fuel Vapor Pressure. T. A. Boyd, 540. Discussion, 560.

Veneer.

- Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman, A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Vibration.

- The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847. Discussion, 861.

Volume Change.

- Effect of Duration of Moist Curing on the Principal Properties of Concrete. A. G. Timms, 329. Discussion, 343.
Plastic Flow of Concrete Under Sustained Stress. R. E. Davis, H. E. Davis and J. S. Hamilton, 354.

W**Wallettes.**

- Permeability Tests of 8-in. Brick Wallettes. L. W. Palmer and D. A. Parsons, 419. Discussion, 432.

Washington Regional Meeting.

- Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 1.

Water.

- The Determination of Traces of Dissolved Oxygen by the Winkler Method. M. C. Schwartz and W. B. Gurney, 796. Discussion, 813.
Water as an Engineering and Industrial Material. Edgar Marburg Lecture. Sheppard T. Powell, 3.

Waterproofing.

- Bituminous Joint Compounds for Sewer Pipe. J. S. Crandell, 581. Discussion, 587.

Weathering.

- Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 1.

Winkler Method.

The Determination of Traces of Dissolved Oxygen by the Winkler Method.
M. C. Schwartz and W. B. Gurney, 796. Discussion, 813.

Wire.

The Vibrating Wire Method of Measuring Deformations. N. Davidenkoff, 847.
Discussion, 861.

Wood.

Measuring the Combustibility of Fire-Retardant Wood. E. F. Hartman,
A. S. Williams and R. C. Bastress, 754. Discussion, 791.

Y**Yield Strength.**

See Tension Testing.

Z**Zinc.**

The Impact Strength of Commercial Zinc Alloy Die Castings. E. A. Anderson
and G. L. Werley, 176.

Zinc Oxide.

The Testing of Raw Materials for Rubber Compounds. B. S. Taylor, 647.
Tinting Strength of White Pigments. R. H. Sawyer, 515. Discussion, 531.
Tinting Strength of White Pigments. G. F. A. Stutz, 521. Discussion, 531.

AUTHOR INDEX

A

- Alden, R. C.**
Discussion on Vapor Lock, 560.
- Anderegg, F. O.**
Discussion, 404, 472.
- Anderson, E. A.**
The Impact Strength of Commercial Zinc Alloy Die Castings, 176.
- Ashcroft, A. G.**
Discussion on Statistical Methods, 916.
- Ayers, J. W.**
A Discussion of the Accuracy and Utility of Methods of Test for Mass Tone and Tinting Strength of Dry Colors, 497.

B

- Baker, R. S.**
Discussion, 240.
- Ball, H. J.**
Discussion on Statistical Methods, 917.
- Bastress, R. C.**
Measuring the Combustibility of Fire-Retardant Wood, 754.
Discussion, 795.
- Bates, P. H.**
Discussion, 317.
- Berger, E. H.**
Discussion, 605.
- Bogue, R. H.**
Discussion, 296, 298.
- Bonney, R. D.**
Discussion, 509, 513.
- Boyd, T. A.**
Motors and Fuel Vapor Pressure, 540.
Discussion on Vapor Lock, 576, 580.
- Brandenburg, H. R.**
Discussion, 318.
- Bridgeman, O. C.**
Discussion on Vapor Lock, 573, 576.
- Brown, A. F.**
Discussion on Tinting Strength of White Pigments, 531.
Discussion, 509, 510, 511, 512, 513.
- Brown, C. R.**
Discussion, 791.
- Brown, George Granger.**
Motor Fuels and Vapor Lock, 550.
Discussion on Vapor Lock, 578.
- Burns, R. S.**
Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging, 48.

C

- Carlson, R. W.**
The Vane Calorimeter, 322.
Discussion, 316, 687.
- Carpenter, Arthur W.**
Discussion, 644.
- Chancellor, W. C.**
Application of Statistical Methods to the Solution of Metallurgical Problems in the Steel Plant, 891.
- Chapman, Cloyd M.**
Discussion, 437.
- Connor, C. C.**
Resultant Separation Cracking Between Various Mortars and Brick in Existing Brick Structures, 454.
Discussion, 432, 475.
- Crandell, J. S.**
Bituminous Joint Compounds for Sewer Pipe, 581.
Discussion, 588, 589, 590.
- Cross, H. C.**
Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes, 80.
Discussion, 104.
- Crum, R. W.**
Discussion, 414.

D

- Daugherty, T. H.**
Discussion, 819.
- Davidenkoff, N.**
The Vibrating Wire Method of Measuring Deformations, 847
- Davis, C. H.**
Discussion, 240.
- Davis, H. E.**
Plastic Flow of Concrete Under Sustained Stress, 354.
- Davis, R. E.**
Plastic Flow of Concrete Under Sustained Stress, 354.
Discussion, 351.
- Depew, H. A.**
Discussion, 688.
- De Vries, R. P.**
Discussion, 104.
- Dewey, Bradley.**
Discussion, 298, 318.
- Diehlman, George.**
Method and Apparatus for Determining the Interval Required to Disperse Oil Colors Throughout a Paint Medium, 490.
Discussion, 496.
- Dixon, E. S.**
Aging Embrittlement of 4 to 6 per cent Chromium Steel, 59.
Discussion, 79.

Dodge, H. F.

Acceptance-Rejection Requirements in Specifications, 877.

Discussion on Statistical Methods, 914, 918.

Dwyer, J. R.

Discussion, 317.

F**Ferguson, J. G.**

Discussion, 840.

Finkeldey, W. H.

The Early Interpretation of Test Results in the Atmospheric Corrosion of Non-Ferrous Metals and Alloys. Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 2.

Foley, F. B.

Discussion, 103.

Fulweiler, W. H.

Discussion, 633.

G**Gilkey, H. J.**

Discussion, 348, 415, 680.

Goldbeck.

A Laboratory Service Test for Pavement Materials, 608.

Discussion, 351, 633.

Gonnerman, H. F.

Study of Cement Composition in Relation to Strength, Length Changes, Resistance to Sulfate Waters and to Freezing and Thawing, of Mortars and Concrete, 244.

Discussion, 302, 438, 474.

Gray, J. E.

A Laboratory Service Test for Pavement Materials, 608.

Groesbeck, E. C.

Observations on Effect of Surface Finish on the Initial Corrosion of Steel Under Water, 123.

Discussion, 136.

Gurney, W. B.

The Determination of Traces of Dissolved Oxygen by the Winkler Method, 796.

Discussion, 819.

H**Hallett, R. L.**

Discussion on Tinting Strength of White Pigments, 536.

Hamilton, J. S.

Plastic Flow of Concrete Under Sustained Stress, 354.

Hansen, J. H.

Discussion, 474.

Hartman, E. F.

Measuring the Combustibility of Fire-Retardant Wood, 754.

Discussion, 795.

- Hartman, F. V.**
Discussion, 172.
- Harvey, Dean.**
Discussion on Statistical Methods, 914, 917.
Discussion, 845.
- Hatch, H. H.**
The Importance and the Determination of Particle Sizes of Hydraulic-Fill Dam Materials, 739.
Discussion, 751.
- Hayden, O. M.**
The Testing of Rubber and Rubber-Like Materials for Oil Resistance, 635.
Discussion, 644, 646.
- Hayes, Anson.**
Discussion on Statistical Methods, 919.
- Hecht, Max.**
Discussion, 813.
- Herschel, W. H.**
Discussion, 589, 604.
- Hippensteel, C. L.**
Galvanic Corrosion by Contact of Dissimilar Metals. Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 2.
- Hocker, C. D.**
Outdoor Test Results on Bare and Metal-Coated Ferrous Specimens. Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 2.
- Hogentogler, C. A.**
Subgrade Soil Testing Methods, 693.
Discussion, 737.
- Horger, O. J.**
Discussion, 161, 174.
- Houk, Ivan E.**
Discussion, 684.
- Housel, W. S.**
Discussion, 631, 729.
- Howell, F. M.**
Discussion, 874.
- Hubbard, Prévost.**
Discussion, 629.
- Hughes, C. A.**
Discussion, 344.
- I
- Isom, E. C.**
Discussion, 590.
- J
- Jackson, F. H.**
Discussion, 352, 630.
- Jacobsen, A. E.**
Discussion on Tinting Strength of White Pigments, 534.

Jasper, T. McL.

Discussion, 118.

Johnson, E. R.

Creep Properties of 5 per cent Chromium, 0.50 per cent Molybdenum Steel Still Tubes, 80.

K**Kanter, J. J.**

Discussion, 101.

Karpov, A. V.

Materials for Use in Structural Engineering Models, with Special Reference to Rubber Compounds, 663.

Discussion, 688.

Kenyon, R. L.

Effect of Thickness on the Accuracy of Rockwell Hardness Tests on Thin Sheets, 229.

Testing Sheets for Blue Brittleness and Stability Against Changes Due to Aging, 48.

Discussion, 212, 241.

Keplinger, R. B.

The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products Manufacture, 480.

Keyser, C. C.

Effect of Size and Shape of Test Specimen upon the Observed Physical Properties of Structural Steel, 202.

Discussion, 215.

Klein, Alexander.

A Suspension Turbidimeter for Determination of Specific Surface of Granular Materials, 303.

Discussion, 320.

Klemperer, W. B.

Discussion, 874.

Koenitzer, L. H.

Proposed Method of Making Compression Tests on Portions of Concrete Beams from Flexure Tests, 406.

Discussion, 416.

Kommers, J. B.

Discussion, 161.

Kouwenhoven, W. B.

A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles, 821.

Discussion, 846.

Krouse, G. N.

A High-Speed Fatigue Testing Machine and Some Tests of Speed Effect on Endurance Limit, 156.

Discussion, 163.

Kushing, J. W.

Discussion, 726.

L

- Latimore, W. J.**
Discussion, 510.
- Loeb, Jr., C. M.**
Discussion, 104.
- Logan, K. H.**
The Use of Bureau of Standards Soil Corrosion Data in the Design and Protection of Pipe Lines, 138.
Discussion, 155.
- Love, C. H.**
Discussion, 511, 512, 514.
- Ludlow, L. L., Jr.**
A Laboratory Service Test for Pavement Materials, 608.
- Lyse, Inge.**
Effect of Size and Shape of Test Specimen upon the Observed Physical Properties of Structural Steel, 202.
Discussion, 215, 404.

M

- Maassen, G. C.**
Discussion, 644.
- MacCoull, Neil.**
Discussion on Vapor Lock, 571.
- MacGregor, C. W.**
Concerning the Effect of Notches and Laws of Similitude in Material Testing, 216.
- MacKenzie, J. T.**
Discussion, 154.
- Mallon, J. H.**
Discussion, 437, 473.
- Malmed, A. T.**
Discussion, 446.
- Mann, H. C.**
Discussion, 195.
- Marks, L. W.**
A Comparison of the Methods for Testing Insulating Materials for Power Factor and Dielectric Constant at 1000 Cycles, 821.
Discussion, 846.
- Marshall, C. H.**
Discussion, 239.
- Mathews, J. A.**
Discussion, 79, 104.
- Maulbetsch, J. L.**
Discussion, 161, 174.
- McBurney, J. W.**
Indentation of Asphalt Tile, 591.
Discussion, 473, 606.
- McDermet, J. R.**
Discussion, 818.

McVetty, P. G.

The Interpretation of Creep Tests, 105.

Discussion, 121.

Miller, J. S., Jr.

Discussion, 588, 589, 630.

Miller, L. B.

Discussion, 300.

Miner, D. F.

Discussion on Statistical Methods, 910.

Moore, H. F.

Discussion, 117, 163, 875.

Moore, R. R.

Discussion, 162.

Morrison, I. F.

Discussion, 213, 749.

Murphy, Glenn.

Discussion, 415.

N**Nadai, A.**

Concerning the Effect of Notches and Laws of Similitude in Material Testing, 216.

Nelson, H. A.

Discussion on Tinting Strength of White Pigments, 538.

Discussion, 512.

O**Oberfell, G. G.**

Discussion on Vapor Lock, 576.

P**Palmer, L. A.**

Permeability Tests of 8-in. Brick Wallettes, 419.

Discussion, 448, 473.

Parsons, D. A.

Permeability Tests of 8-in. Brick Wallettes, 419.

Discussion, 448.

Passano, R. F.

The Harmony of Outdoor Weathering Tests. Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 2.

Discussion, 132.

Paul, M. Rea.

Method and Apparatus for Determining the Interval Required to Disperse Oil Colors Throughout a Paint Medium, 490.

Porter, H. C.

Discussion, 791.

Powell, Sheppard T.

Water as an Engineering and Industrial Material: Edgar Marburg Lecture, 3.

Pullar, H. B.

Discussion, 587.

R

- Rahn, G. A.**
Discussion, 728.
- Rankin, J. J.**
Discussion, 496.
- Reeve, C. S.**
Discussion, 587.
- Richart, F. E.**
Discussion, 416.
- Roller, P. S.**
Discussion, 299, 315, 748.
- Rueckel, W. C.**
The Effect of De-Airing Dry-Press and Stiff-Mud Bodies for Clay Products
Manufacture, 480.
Discussion, 489.

S

- Sawyer, R. H.**
Tinting Strength of White Pigments, 515.
Discussion on Tinting Strength of White Pigments, 531, 533, 534, 535, 539.
Discussion, 510.
- Schlesinger, G. F.**
Discussion, 489.
- Schramm, G. N.**
The Influence of Rainfall and Smoke on the Corrosion of Iron and Steel. Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 2.
- Schwartz, M. C.**
The Determination of Traces of Dissolved Oxygen by the Winkler Method, 796.
Discussion, 819.
- Schwarze, C. T.**
Discussion, 874.
- Shewhart, W. A.**
Discussion on Statistical Methods, 919.
- Skinker, M. F.**
Discussion on Statistical Methods, 915.
- Smith, E. D.**
Discussion on Statistical Methods, 910.
- Smith, W. A.**
Discussion on Vapor Lock, 578.
- Speller, F. N.**
Discussion, 153.
- Stauderman, A. E.**
Discussion on Tinting Strength of White Pigments, 538.
Discussion, 511, 512, 513.
- Stein, I. M.**
Discussion, 842.
- Stutz, G. F. A.**
Tinting Strength of White Pigments, 521.
Discussion on Tinting Strength of White Pigments, 531, 533, 534, 536, 538.
Discussion, 510, 511.

Swanger, W. H.

- Note on Frictional Resistance of Steel and Brass in Shrink Fits, 165.
Discussion, 174.

Swayze, M. A.

- Discussion, 298.

T**Taylorson, E. S.**

- The Influence of Rainfall and Smoke on the Corrosion of Iron and Steel.
Summary of Proceedings of the Washington Regional Meeting—Symposium on the Outdoor Weathering of Metals and Metallic Coatings, 2.

Taylor, B. S.

- The Testing of Raw Materials for Rubber Compounds, 647.

Templin, R. L.

- Some Factors Affecting Strain Measurements in Tests of Metals, 182.
Discussion, 162, 200, 211.

Theriault, E. J.

- Discussion, 813.

Thompson, G. W.

- Discussion on Tinting Strength of White Pigments, 532, 534, 535, 538.

Timms, A. G.

- Effect of Duration of Moist Curing on the Principal Properties of Concrete, 329.
Discussion, 352.

Townsend, J. R.

- Discussion, 199.

Traxler, R. N.

- Discussion, 605.

Tuckerman, L. B.

- Discussion, 198, 861, 875.

U**Ulman, M. H.**

- Discussion, 589, 627, 630.

V**von Bergen, Werner.**

- Discussion on Statistical Methods, 917.

Vose, R. W.

- Characteristics of the Huggenberger Tensometer, 862.
Discussion, 195, 876.

Voss, W. C.

- Discussion, 471.

W**Wagner, L. A.**

- Discussion, 315.

Waldron, L. J.

- Observations on Effect of Surface Finish on the Initial Corrosion of Steel Under Water, 123.
Discussion, 136.

Walker, G. E.

Discussion on Tinting Strength of White Pigments, 536.

Discussion, 496.

Way, Gilbert.

Discussion on Vapor Lock, 574.

Werley, G. L.

The Impact Strength of Commercial Zinc Alloy Die Castings, 176.

Werring, W. W.

Discussion, 606.

Whittemore, J. W.

Discussion, 604.

Williams, A. S.

Measuring the Combustibility of Fire-Retardant Wood, 754.

Discussion, 791, 793, 795.

Willis, E. A.

Subgrade Soil Testing Methods, 693.

Wilten, H. M.

Aging Embrittlement of 4 to 6 per cent Chromium Steel, 59.

Withey, M. O.

Tests on Reinforced Brick Masonry Columns, 387.

Discussion, 343, 405.

Work, L. T.

Discussion, 751.

Y**Yoder, J. D.**

Discussion, 816